Quest

FOR THE BEST IN CARPET

V 1.6

COMMERCIAL CARPET TILES

ProTile Business Class Tiles - Harbour

DURABLE

GREAT VALUE

IDEAL FOR COMMERCIAL APPLICATIONS

ProTile

ProTile Business Class Tiles - Hideaway

Ready to elevate your space with stunning, budget-friendly flooring tailored to your project specifications?

ProTile offers a versatile collection of carpet tiles designed to perform in busy environments, including offices, retail fit-outs, schools, and hospitality spaces.

Experience our unwavering commitment to quality throughout your flooring specification journey, with locally stocked inventory and a focus on durability to help keep your projects on track and looking great.

Discover the perfect balance of performance and style with ProTile carpet tiles.

Let us help you transform your space today.

ProTile

The ProTile Range

Business Class Tile Range (50 cm x 50 cm)


Akaroa 7

Cable Bay 05

Cape Point 12

Harbour

Hideaway


Lounge

Pacific

Plymouth

Sandstone

Legend (Tiles and Planks)

Tile image area - 430mm wide

Plank image area - 250mm wide

Economy Class Tile Range (50 cm x 50 cm)

Atmosphere

Gravity

Night Sky

Nova

Economy Class Plank Range (25 cm x 100 cm)


Haze


Skyfall

Basic Tile Range (50 cm x 50 cm))

Charcoal

Grey

ProTile

Technical Specifications

Business Class Tiles (50 cm x 50 cm)

Material	100% Solution Dyed Nylon
Construction	Multi-level Loop
Gauge	1/12 th Gauge
Stitch	9.5 Inch
Pile Weight (backing not Included)	25 oz.
Pile Height	2.5 mm - 5.5 mm (± 0.5 mm)
Backing	EcoTex®
Tile Size	50 x 50 cm
Total Thickness (Approx.)	10 mm (± 1.0 mm)
Usage	Commercial (Heavy)
Tiles per box	20
Anti Static	Permanent lifetime protection < 3.5 kV
Approved Installation Method	Quarter Turn

Product Features and Benefits

Water Resistant

Stain Resistant

Soft and Warm

Highly Durable

Economy Class Carpet Tiles (50 cm x 50 cm)

Material	100% Solution Dyed Nylon
Construction	Multi-level Loop
3M Stain Resistance	Yes
Gauge	1/12 th Gauge
Pile Weight (backing not Included)	19 oz.
Pile Height	3.0 mm - 5.0 mm (± 0.5 mm)
Backing	PVC
Tile Size	50 x 50 cm
Total Thickness (Approx.)	6 mm (± 1.0 mm)
Usage	Commercial (Medium - Heavy)
Tiles per box	20
Anti Static	Permanent lifetime protection < 3.5 kV
Approved Installation Method	Quarter Turn

Economy Class Carpet Planks (25 cm x 100 cm)

Material	100% Solution Dyed Nylon
Construction	Multi-level Loop
3M Stain Resistance	Yes
Gauge	1/12 th Gauge
Pile Weight (backing not Included)	19 oz.
Pile Height	3.0 mm - 4.0 mm (± 0.5 mm)
Backing	PVC
Tile Size	25 x 100 cm
Total Thickness (Approx.)	6 mm (± 1.0 mm)
Usage	Commercial (Medium - Heavy)
Tiles per box	20
Anti Static	Permanent lifetime protection < 3.5 kV
Approved Installation Method	Ashlar, Quarter Turn, Herringbone, Random

Basic Tiles (50 cm x 50 cm)

Material	Polypropylene
Construction	Level Loop Pile
Gauge	1/10 th Gauge
Pile Height	3.0 mm (± 0.5 mm)
Backing	PVC
Tile Size	50 x 50 cm
Total Thickness (Approx.)	5 mm (± 1.0 mm)
Usage	Commercial (Light - Medium)
Tiles per box	20
Anti Static	Permanent lifetime protection < 3.5 kV
Approved Installation Method	Quarter Turn

Note: Fire Rating Certificates are available by contacting Quest Carpets (details below)



ProTile Basic Tiles - Charcoal

MARKET LEADING PRICES

STOCKED IN LARGE VOLUMES

DEDICATED CUSTOMER SERVICE TEAM

LARGE NETWORK OF SALES REPS

p: 1800 337 404 | e: sales@questcarpet.com.au
pro-tile.com.au
Distributed in Australia by **Quest Carpets**

FOR THE BEST IN CARPET
Quest